


STAMPCRIT

Floor Expert, Floor Solution!



STAMPCRIT

Company Profile

Address: [U18 st.09 Borey Phnom Penh Sok San, Toul Pongror, Khan Dangkao, Phnom Penh, Cambodia](#)
Phone: [+855 10 227 004](#) | Mr.Socheat NHEM
Gmail: stampcritfloor@gmail.com

STAMPCRIT FLOOR is a fully insured sole-proprietorship founded in 2024 as a full-service stamped concrete, concrete polishing and other floor custom solution both Phnom Penh and provinces. Although the company is small in operations it is not without a solid foundation. The owner, **Mr.Socheat NHEM**, work many years of experience in the concrete floor field and was afforded higher training in the field of concrete floor from Cambodia and Thailand in which the words "precision and quality" go hand-in-hand.

1.1 Vision

- Observe expert concrete floor to the project owner with solution and trust.
- The best choice for concrete floor: stamped concrete, polished concrete and other custom floor solution.

1.2 Objectives

- We provide floor custom expert and solution in Cambodia.
- Build with trust, solution and be a primary goal to exceed customer's expectations.
- Increase its number of customers and quality partnership.
- Operate a sustainable business, being maintained by its own cash flow.

1.3 Mission

The mission of **STAMPCRIT FLOOR** is to construct top-quality concrete custom floor service to the specifications of each customer's unique request. The company will strive to attract and maintain customers by providing services in the timeliest manner to provide 101 % up customer satisfaction. Stampcrit's services will exceed the expectations of its customers.

1.4 Keys to Success

- Experienced employees with excellent customer-service skills and unique.
- Commitment to high quality and professionalism in every task and encounter.
- Small size, allowing direct management oversight of every project and employee.

STAMPCRIT

- Improves your space
- Many designs & colors
- Strong & durable
- Fade-resistant
- Non-slip, no moss

មាតិកា

- 1 តើបេតុងស្តេម័រជាអ្វី? | WHAT IS STAMPED CONCRETE? 1
- 2 ហេតុអ្វីត្រូវជ្រើសរើសបេតុងស្តេម័រ | WHY CHOOSE STAMPED CONCRETE?2
- 3 របៀបធ្វើបេតុងស្តេម័រ | STAMPED CONCRETE APPLICATION PROCESS3
- 4 សម្ភារៈ និង ឧបករណ៍ស្តេម័រ | MATERIALS & TOOLS STAMPED CONCRETE 4
- 5 ម៉ូតពេញនិយម | PATTERN COLLECTION.....5
- 6 ការជ្រើសរើសពណ៌ | COLOR SELECTION11
- 7 មេរៀនដោះពុម្ព | Release Agent 13
- 8 ទឹកថ្នាំរលោង | Sealer 14
- 9 គម្រោងដែលបានធ្វើជូនអតិថិជន | PROJECT REFERENCE 15

តើបេតុងស្តេម័រជាអ្វី?

WHAT IS STAMPED CONCRETE?

បេតុងស្តេម័រ (Stamped Concrete) គឺជាប្រភេទការងារដែលធ្វើទៅលើផ្ទៃបាត(Floor) ជាពិសេសផ្តោតសំខាន់ទៅលើការតុបតែងលម្អ(decore)ផ្ទៃបាតបេតុង ពីបេតុងធម្មតាឱ្យប្រែទៅជាមានពណ៌ និងម៉ូតស្រស់ស្អាតក្នុងពេលតែមួយ។ ដោយប្រើប្រាស់ពុម្ពសង្កត់ដើម្បីបង្កើតបានជារូបរាង និងម៉ូតផ្សេងៗ ដែលមានច្រើនប្រភេទដូចជា: ម៉ូតកម្រាលគង្គ ម៉ូតធម្មជាតិ ម៉ូតឈើ...ជាដើម។







បេតុងស្តេម័រ (Stamped Concrete) អាចធ្វើបានទូលំទូលាយទាំងផ្នែកខាងក្រៅ (Exterior) និងផ្នែកខាងក្នុង (Interior) ដោយអាស្រ័យទៅលើការរចនា និងការប្រើប្រាស់។

ផ្នែកខាងក្រៅ | Exterior

 សន្សំពេលវេលា Time Saving	 ផ្លូវចូលទ្វារ Driveway	 ផ្លូវដើរ Walkway/Pathway	 កន្លែងអង្គុយក្រៅផ្ទះ Patio/Terrace	 ឆ្នើរ Stair	 សួនច្បារ Garden/Landscape	 ចំណតទ្វារ Parking Area	 ជុំវិញអាងហែលទឹក Pool deck	 មុខងារស្មារ Bridge Function
--	---	---	---	--	--	---	--	--

ផ្នែកខាងក្នុង | Interior

 ផ្ទៃកម្រាលជាន់ក្នុងផ្ទះ living room floor, hallway	 តោធនីយដ្ឋាន ឬហាងកាហ្វេ Restaurant/Café floor	 បន្ទប់តាំងបង្ហាញ Showroom/Commercial space	 លំហស្នាក់មន្ត Lobby
--	--	---	---

ហេតុអ្វីត្រូវជ្រើសរើសបេតុងស្តេម័រ?


WHY CHOOSE STAMPED CONCRETE?

 ស្រស់ស្អាត High Quality	 មានច្រើនម៉ូត Multiple Designs	 មានភាពរឹងមាំ Strong & Durable	 ធន់នឹងអាកាសធាតុ Weather Resistant	 សន្សំសំចៃថវិកា Cost Effective
 សន្សំសំចៃពេលវេលា Time Saving	 ធ្វើតែម្តងរួចរាល់ One-Time Installation	 ងាយស្រួលសម្អាត Easy to Clean	 ងាយស្រួលថែទាំ Low Maintenance	 មិនរអិល Slip Resistant










របៀបធ្វើបេតុងស្តេមភ័

STAMPED CONCRETE APPLICATION PROCESS



សម្ភារៈ និង ឧបករណ៍ ស្តេមភ័

MATERIALS & TOOLS OF STAMPED CONCRETE

- 
 - ស៊ីម៉ង់ត៍ពណ៌/Premium cement color
អាចជ្រើសរើសបានច្រើនពណ៌ចំណុះ 25kg/1បារ អាចប្រើបានចន្លោះពី 8m²-10m²
- 
 - ម្សៅដោះពុម្ព/Release Agent
ចំណុះ 10kg/1បារ អាចប្រើបានចន្លោះពី 90m²-100m²
- 
 - ទឹកថ្នាំរលោង/Sealer មាន2ចំណុះ ដោយ 4L អាចប្រើបានចន្លោះពី 15m²-18m²
20L អាចប្រើបានចន្លោះពី 80m²-90m²
- 
 - ពុម្ពបេតុងស្តេមភ័
អាចជ្រើសរើសម៉ូតបានច្រើនតាមតម្រូវការ
- 
 - ដងគោះ (ជើងជំរី)
- 
 - ក្តាររឹបេតុងដងវែង
- 
 - ក្តាររឹបេតុង

ម៉ូលពេញនិយម | PATTERN COLLECTION

PREMIUM MOLDS FOR BEAUTIFUL, DURABLE, AND TIMELESS SURFACES

<p>01 Rendoom</p> <p>Natural irregular stone pattern for a timeless look.</p>			
<p>02 New Rendoom</p> <p>Modern irregular stone pattern with a natural flow.</p>			
<p>03 River Stone</p> <p>Smooth river pebble look for a soft, natural finish.</p>			
<p>04 Verona Stone</p> <p>Large scale random stone pattern for elegant spaces.</p>			

NOTES

- Mold material: High performance polyurethane
- Recommended slab thickness: 75 - 100mm
- Joint spacing: 6m (control joints)
- Color shown may vary from actual finish
- Suitable for interior & exterior applications

APPLICATION



DURABLE
Long lasting performance



SLIP RESISTANT
Safe for outdoor applications



DESIGN FLEXIBILITY
Multiple patterns & color options



LOW MAINTENANCE
Easy to clean & maintain

<p>05 Arizono Flag</p> <p>Classic flagstone look with bold irregular shapes.</p>			
<p>06 Castle Stone</p> <p>European castle stone pattern with rustic appeal.</p>			
<p>07 Banglajang</p> <p>Small block cobblestone pattern for a charming finish.</p>			
<p>08 English</p> <p>Interlocking rectangular pattern for a classic look.</p>			

APPLICATION



DRIVEWAYS



WALKWAYS



PATIOS



POOL DECKS



PUBLIC SPACE

09	Cobble Stone	Classic small stone arrangement for traditional paving aesthetics.			
10	London Cobble	Traditional cobble layout with natural texture and heritage appeal.			
11	Granite Sets	Clean uniform granite set pattern for a refined modern finish.			
12	Slate Tile Grouted	Slate tiles with grouted joints for a natural and structured look.			

NOTES

- Mold material: High performance polyurethane
- Recommended slab thickness: 75 - 100mm
- Joint spacing: 6m (control joints)
- Color shown may vary from actual finish
- Suitable for interior & exterior applications



DURABLE
Long lasting performance



SLIP RESISTANT
Safe for outdoor applications


















DESIGN FLEXIBILITY
Multiple patterns & color options



LOW MAINTENANCE
Easy to clean & maintain


13	European Fan	Classic fan-shaped arrangement for timeless elegance and visual flow.			
14	Opa Locka Stone	Large-scale stone pattern with varied shapes for a bold statement.			
15	California Weave	Interlocking weave layout for added movement and classic style.			
16	XL Ashlar	Extra large ashlar pattern for a grand architectural look.			


17	Ashlar Cut Slate V1 Cut slate in ashlar layout for a rugged yet sophisticated finish.			
18	Ashlar Cut Slate V2 Classic cut slate pattern with natural stone texture and balanced layout.			
19	New Ashlar Irregular ashlar pattern offering a natural and seamless stone appearance.			
20	Grand Ashlar Large-scale ashlar design for bold and premium architectural finishes.			
21	Wooden Realistic wood grain texture mimicking timber flooring with durability.			


NOTES


- Mold material: High performance polyurethane
- Recommended slab thickness: 75 - 100mm
- Joint spacing: 6m (control joints)
- Color shown may vary from actual finish
- Suitable for interior & exterior applications


APPLICATION


 Driveways


 Walkways


 Patios



 Pool Decks


 Public Space




ការជ្រើសរើសពណ៌ | COLOR SELECTION

យើងមាន 26ពណ៌សម្រាប់ជ្រើសរើសតាមតម្រូវការ

- លក្ខណៈពិសេសរបស់ផលិតផល៖
- **Ready-to-use**
ប្រើប្រាស់បានភ្លាមៗ។
 - **Versatile**
ប្រើប្រាស់បត់បែនបានច្រើនយ៉ាង។
 - **UV Resistance**
ធននឹងពន្លឺថ្ងៃ។
 - **Strengthen Surface**
ជួយពង្រឹងផ្ទៃមុខឱ្យរឹងមាំជាពិសេស។
 - **Color Stable**
ពណ៌ជាប់បានយូរ មិនងាយស្លេក។



រៀបប្រើ (Tips): បន្ទាប់ពីចាក់បេតុងរួច ត្រូវរោយស៊ីម៉ង់ត៍ពណ៌លើផ្ទៃបេតុង (រោយ 2-3ដង) រួចកៀងឱ្យស្មើសាច់ល្អ។



NATURAL
PIGMENTS



UV & WEATHER
RESISTANT



LONG LASTING
COLOR



BEAUTIFUL
FINISH

💡 របៀបប្រើ (Tips):

បន្ទាប់ពីចាក់បេតុងរួច ត្រូវរោយស៊ីម៉ង់ត៍ពណ៌លើផ្ទៃបេតុង (រោយ 2-3ដង) រួចកៀរឱ្យស្មើសាច់ល្អ។

មេរៀនដោះពុម្ព | Release Agent

មាន ១៣ ពណ៌សម្រាប់ជ្រើសរើសទៅតាមតម្រូវការ

មេរៀនដោះពុម្ពគឺជាសារធាតុមេរៀនបច្ចេកទេសមួយ ដែលត្រូវបានបន្ថែមលើផ្ទៃបេតុងនៅដំណាក់កាលដែលបេតុងនៅតែសើម មុននឹងសង្កត់ពុម្ព ដើម្បីបង្កើត texture និង pattern លើផ្ទៃបេតុង។ មុខងារសំខាន់របស់វាគឺដើម្បីការពារបេតុងពីការជាប់ ទៅពេលដែលដកពុម្ពចេញ ដែលអាចបណ្តាលឱ្យលំនាំខូច ឬមិនច្បាស់ ដោយធានាបានមកវិញនូវរូបរាងច្បាស់ល្អ និង ភ្លឺរលោង។



R-00 ពណ៌ស
R-6 ពណ៌ត្នោត
R-7 ពណ៌ទឹកក្រូចចាស់
R-21 ពណ៌ខ្មៅ
R-22 ពណ៌ប្រផេះចាស់
R-300 ពណ៌ក្រហម
R-400 ពណ៌ទឹកក្រូច
R-500 ពណ៌ត្នោតក្រមៅ
R-700 បៃតង



STAMPCRIT
មេរៀនដោះពុម្ព
Release Agent
មាន ១៣ ពណ៌សម្រាប់ជ្រើសរើសទៅតាមតម្រូវការ
ប្រើប្រាស់លើផ្ទៃបេតុងនៅដំណាក់កាលដែលបេតុងនៅតែសើម មុននឹងសង្កត់ពុម្ព ដើម្បីបង្កើត texture និង pattern លើផ្ទៃបេតុង។ មុខងារសំខាន់របស់វាគឺដើម្បីការពារបេតុងពីការជាប់ ទៅពេលដែលដកពុម្ពចេញ ដែលអាចបណ្តាលឱ្យលំនាំខូច ឬមិនច្បាស់ ដោយធានាបានមកវិញនូវរូបរាងច្បាស់ល្អ និង ភ្លឺរលោង។
រៀបចំប្រើប្រាស់ (Tips): ហោប៉ៅមេរៀនដោះពុម្ព និងស្តើងស្តើងលើផ្ទៃបេតុងសិន មុននឹងប្រើពុម្ពសង្កត់ដើម្បីឱ្យចេញម៉ូតច្បាស់ និងស្អាតល្អ។
10KG
Floor Expert, Floor Solution!

រៀបចំប្រើប្រាស់ (Tips): ហោប៉ៅមេរៀនដោះពុម្ព និងស្តើងស្តើងលើផ្ទៃបេតុងសិន មុននឹងប្រើពុម្ពសង្កត់ដើម្បីឱ្យចេញម៉ូតច្បាស់ និងស្អាតល្អ។
បញ្ជាក់: រាល់ការជ្រើសរើសក្នុងមេរៀនដោះពុម្ព អាស្រ័យទៅតាមប្រភេទនៃស៊ីម៉ង់ត៍ពណ៌។

ទឹកថ្នាំរលោង | Sealer

ទឹកថ្នាំរលោងការពារផ្ទៃបេតុង អាគ្រីលីក (Acrylic)



STAMPCRIT
ទឹកថ្នាំរលោង
Sealer
ទឹកថ្នាំរលោងការពារផ្ទៃបេតុង អាគ្រីលីក (Acrylic)
លក្ខណៈពិសេសនៃទឹកថ្នាំរលោង
- រូបមន្តគ្មានជាតិរំលាយ (Thinner): ប្រើសម្រាប់ការពារផ្ទៃបេតុងស្នេមក៍ ចូលាង និង ផ្ទៃបេតុងផ្សេងៗទៀត។
- ការពារផ្ទៃបេតុង: ការពារកុំឱ្យកើតមានធូលីដីចេញពីសាច់បេតុង។
- ការពារមេរោគ និងស្នែ: ការពារការកើតមានផ្សិត ស្នែ និងស្នាមប្រឡាក់ផ្សេងៗ។
- ធន់នឹងកាំស៊ី UV: អាចប្រើប្រាស់បានទាំងការងារក្នុងផ្ទះ និងក្រៅផ្ទះ។
- ការស្លិតជាប់ល្អគតខ្លោះ: ស្លិតជាប់បានល្អជាមួយផ្ទៃផ្ទៃគ្រប់ប្រភេទ រីកាបត (Viva Board) និងស៊ីម៉ង់ត៍។
4L
Floor Expert, Floor Solution!

STAMPCRIT
ទឹកថ្នាំរលោង
Sealer
ទឹកថ្នាំរលោងការពារផ្ទៃបេតុង អាគ្រីលីក (Acrylic)
លក្ខណៈពិសេសនៃទឹកថ្នាំរលោង
- រូបមន្តគ្មានជាតិរំលាយ (Thinner): ប្រើសម្រាប់ការពារផ្ទៃបេតុងស្នេមក៍ ចូលាង និង ផ្ទៃបេតុងផ្សេងៗទៀត។
- ការពារផ្ទៃបេតុង: ការពារកុំឱ្យកើតមានធូលីដីចេញពីសាច់បេតុង។
- ការពារមេរោគ និងស្នែ: ការពារការកើតមានផ្សិត ស្នែ និងស្នាមប្រឡាក់ផ្សេងៗ។
- ធន់នឹងកាំស៊ី UV: អាចប្រើប្រាស់បានទាំងការងារក្នុងផ្ទះ និងក្រៅផ្ទះ។
- ការស្លិតជាប់ល្អគតខ្លោះ: ស្លិតជាប់បានល្អជាមួយផ្ទៃផ្ទៃគ្រប់ប្រភេទ រីកាបត (Viva Board) និងស៊ីម៉ង់ត៍។
20L
Floor Expert, Floor Solution!



លក្ខណៈពិសេសនៃទឹកថ្នាំរលោង:







- រូបមន្តគ្មានជាតិរំលាយ (Thinner): ប្រើសម្រាប់ការពារផ្ទៃបេតុងស្នេមក៍ ចូលាង និង ផ្ទៃបេតុងផ្សេងៗទៀត។
- ការពារផ្ទៃបេតុង: ការពារកុំឱ្យកើតមានធូលីដីចេញពីសាច់បេតុង។
- ការពារមេរោគ និងស្នែ: ការពារការកើតមានផ្សិត ស្នែ និងស្នាមប្រឡាក់ផ្សេងៗ។
- ធន់នឹងកាំស៊ី UV: អាចប្រើប្រាស់បានទាំងការងារក្នុងផ្ទះ និងក្រៅផ្ទះ។
- ការស្លិតជាប់ល្អគតខ្លោះ: ស្លិតជាប់បានល្អជាមួយផ្ទៃផ្ទៃគ្រប់ប្រភេទ រីកាបត (Viva Board) និងស៊ីម៉ង់ត៍។



ការងារបេតុងស្តេម័ត | Stamped Concrete

ទីធ្លាខាងក្នុងភូមិត្រីះ ក្រុងព្រះសីហនុ

PROJECT INFORMATION

 LOCATION Sihanoukville, Cambodia	 YEAR 2026	 TEXTURE Random European Fan	 COLOR SW-15 SW-19	 AREA 1,122 m ²	 THICKNESS 50 mm
---	--	--	---	--	--



Rendoom

Natural irregular stone pattern for a timeless look.




EUROPEAN FAN


Classic fan-shaped arrangement for timeless elegance and visual.

PATTERN & DIMENTION


01 RANDOM PATTERN



13 EUROPEAN FAN PATTERN



COLOR & FINISH OPTION



MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.



KEY FEATURES



Slip resistant



Durable & Strong



Low Maintenance



EUROPEAN FAN

Classic fan-shaped arrangement for timeless elegance and visual.




Random

Natural irregular stone pattern for a timeless look.


ការងារបេតុងស្តេម័ត | Stamped Concrete
ទីធ្លាខាងក្នុងផ្ទះវីឡា, Villa 58 Toul Kok, ភ្នំពេញ

PATTERN & DIMENTION


13 EUROPEAN FAN PATTERN









01 RANDOM PATTERN



COLOR & FINISH OPTION



PROJECT INFORMATION

 LOCATION Phnom Pen, Cambodia	 YEAR 2025	 TEXTURE European Fan Random	 COLOR SW-19 SW-05	 AREA 330 m ²	 THICKNESS 50 mm
---	--	---	---	--	--

MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.



KEY FEATURES



Slip resistant



Durable & Strong



Low Maintenance




ការងារបេតុងស្តេម៍ | Stamped Concrete

ផ្លូវដើរខាងមុខអគារ, ខុនដូ L-Tower, ផ្លូវ 271, ភ្នំពេញ




COLOR & FINISH OPTION



PATTERN & DIMENTION

11 GRANITE SETS PATTERN



GRANITE SETS

Clean uniform granite set pattern for a refined modern finish.

PROJECT INFORMATION

<p>LOCATION Phnom Penh, Cambodia</p>	<p>YEAR 2025</p>	<p>TEXTURE Granite Sets</p>	<p>COLOR SW-26 (Dark Grey)</p>	<p>AREA 75 m²</p>	<p>THICKNESS 50 mm</p>
---	-----------------------------	--	---	---	-----------------------------------

MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.



KEY FEATURES

- Slip resistant
- Durable & Strong
- Low Maintenance



ការងារបេតុងស្តេមក់ | Stamped Concrete

ទីធ្លាខាងក្នុងសាលារៀន BROMSGROVE INTERNATIONAL SCHOOL, ភ្នំពេញ





COLOR & FINISH OPTION



PATTERN & DIMENTION







11 GRANITE SETS PATTERN



GRANITE SETS

Clean uniform granite set pattern for a refined modern finish.

PROJECT INFORMATION

 LOCATION Phnom Penh, Cambodia	 YEAR 2025	 TEXTURE Granite Sets	 COLOR SW-01 SW-04	 AREA 552 m ²	 THICKNESS 50 mm
--	--	---	---	--	--

MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.



KEY FEATURES



Slip resistant



Durable & Strong



Low Maintenance




ការងារបេតុងស្តេម័ត | Stamped Concrete



ទីធ្លាខាងត្បូងផ្ទះវីឡា បុរីជីបម៉ុង Park Land 598, ខណ្ឌបួស្សីកែវ, ភ្នំពេញ



COLOR & FINISH OPTION







11 GRANITE SETS PATTERN



GRANITE SETS

Clean uniform granite set pattern for a refined modern finish.

PROJECT INFORMATION

 LOCATION Phnom Penh, Cambodia	 YEAR 2025	 TEXTURE Granite Sets	 COLOR SW-04 (Light Gray) SW-26 (Dark Gray)	 AREA 95 m ²	 THICKNESS 50 mm
--	--	---	--	--	--

MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.



KEY FEATURES



Slip resistant



Durable & Strong



Low Maintenance



ការងារបេតុងស្តេម៍ និង ក្រាលថ្មធម្មជាតិ

| Stamped Concrete & Natural Stone

ទីធ្លាខាងក្នុងផ្ទះវីឡាក្រុងបាត់ដំបង, ខេត្តបាត់ដំបង



NATURAL STONE RANDOM




EUROPEAN FAN


Classic fan-shaped arrangement for timeless elegance and visual.

PATTERN & DIMENTION

13 EUROPEAN FAN PATTERN



COLOR & FINISH OPTION



MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.



KEY FEATURES



Slip resistant



Durable & Strong



Low Maintenance

PROJECT INFORMATION



LOCATION

Battambang, Cambodia



YEAR

2025



TEXTURE

European Natural Stone



COLOR

SW-19



AREA

130 m²



THICKNESS

50 mm









LONDON COBBLE

Traditional cobble layout with natural texture and heritage appeal.

ការងារបេតុងស្តេម៍ | Stamped Concrete

ស្ថានភាពមុខផ្លូវវីឡា Camko City, ភ្នំពេញ

PROJECT INFORMATION

 LOCATION Phnom Penh, Cambodia	 YEAR 2025	 TEXTURE London Cobble	 COLOR SW-26 (Dark Grey)	 AREA 50 m ²	 THICKNESS 50 mm
--	--	--	--	---	--

PATTERN & DIMENTION

10 LONDON COBBLE PATTERN



MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.

COLOR & FINISH OPTION



KEY FEATURES



Slip resistant



Durable & Strong



Low Maintenance








COBBLE STONE

Classic small stone arrangement for traditional paving aesthetics.


ការងារបេតុងស្តេម័រ | Stamped Concrete

ទីធ្លាខាងក្នុងផ្ទះវីឡា Villa Sensok, ភ្នំពេញ

PROJECT INFORMATION

 LOCATION Phnom Penh, Cambodia	 YEAR 2024	 TEXTURE Cobble Stone	 COLOR SW-26 (Dark Grey)	 AREA 130 m ²	 THICKNESS 50 mm
--	--	---	--	--	--

PATTERN & DIMENTION



MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.

COLOR & FINISH OPTION



KEY FEATURES


-  Slip resistant
-  Durable & Strong
-  Low Maintenance



ការងារជួសជុលបេតុងស្តេម៍ | Fixing Stamped Concrete

ទីធ្លាជុំវិញអាងហែលទឹកផ្ទះវីឡា Maison Veal Sbov, ភ្នំពេញ

COLOR & FINISH OPTION



RESTORATION PROCESS



MATERIAL & FINISH

Stamped concrete with integral color and release powder for natural texture. Sealed for durability and long-lasting performance.




KEY FEATURES

- Slip resistant
- Durable & Strong
- Low Maintenance


PROJECT INFORMATION


LOCATION Phnom Penh, Cambodia	YEAR 2024	TEXTURE European	COLOR European	AREA 100 m ²	FIXING Color & Cracked
----------------------------------	--------------	---------------------	-------------------	----------------------------	---------------------------





STAMPCRIT

Floor Expert, Floor Solution!

 Facebook
[Stampcrit Floor](#)

 Instagram
[Stampcrit Floor | @stampcrit](#)

 Telegram
[STAMPCRIT | t.me/Stampcrit](#)

 Phone
[+855 10 227 004](#)

 Email
[stampcritfloor@gmail.com](#)

 Address
[U18 st.09 Borey Phnom Penh Sok San,
Toul Pongror, Khan Dangkao, Phnom Penh,
Cambodia](#)



SCAN QR CODE FOR
 JOIN OUR TELEGRAM CHANNEL

Thank you!

